


2019-2017 GM truck L5P 6.6L diesel engine trainer



EM-140D-GM02_035027 2019-2017 GM truck L5P 6.6L diesel engine trainer

CONSULAB



The EM-140D-GM02_035027 diesel engine trainer is a fully operational engine mounted on a mobile stand. Trainer is based on 2019-2017 GM trucks with Duramax 6.6L V8 L5P turbo-diesel engine platform used in the GMC Sierra or Chevrolet Silverado 2500/3500 heavy duty models — Easy to work on and all major components, wiring and connectors match OEM configuration. Trainer is mounted on a mobile stand constructed of 2" (5cm) tubular steel equipped with four 5" (12.5cm) phenol casters (2-fixed and 2-swivel w/ locks) — Equipped with safety guards covering all rotating components.

EDUCATIONAL ADVANTAGES

- Allows instructional demonstrations to students without access limitations of a complete vehicle.
- Engine systems respond to inserted faults with real world symptoms, DTC's, scan tool PID's and check engine light operation.
- Included PCM break out box allows easy access for component testing without disconnecting connectors.
- No simulation. All original OEM components are used.
- Provides a fully functional recycled engine with available and repeatable faults for student learning and diagnosis.
- Promotes student "ownership" and engagement with "hands-on" learning with real components.

FEATURES

- Engine 2019-2017 GM GM truck with Duramax 6.6L V8 L5P turbo-diesel engine compliant with the most recent EPA standards
- Direct injection with high-pressure common rail
- Allison transmission MGM
- OBDII data link connecter for scan tool hookup
- Integrated ECM breakout box with test points for oscilloscope and DMM hookup
- Breakout box terminals identified with
 OEM terminology and numbers
- Complete exhaust system with catalytic converter
- Cooled Exhaust Gas Recirculation (EGR)
- Selective Catalytic Reduction (SCR) w/

DEF injection

- Diesel Particulate Filter (DPF)
- Intake throttle
- Radiator
- Intercooler
- Fuel tank
- DEF tank
- Closed crankcase ventilation system
- Batteries with master disconnect switch
- Automatic regulated 12V battery charger
- Custom instrument panel protection
- Safety covers for all rotating devices
- Custom coolant flow sight glass for V-8
 diesel engine
- Comes with only one OEM key
- Fork lift bars
- Scan tool tray





OPTIONAL EQUIPMENT • Vinyl dust cover (EM-1200-140D_024082-04)

- Additional OEM ignition key (EM-140-21_053150)
- Electronic programmable fault box with 16 faults & capable of programming both constant and intermittent faults with remote control via USB cable (EM-250-2C_053090-01)

TECHNICAL INFORMATION

- Mounted on a mobile stand constructed of powder coated 2" square steel tubing equipped with four 5" phenol casters (2 fixed and 2 swivel w/locks) for easy transport
- Dimensions: 54 x 101 x 51 in (137 x 256 x 129 cm) / 60 x 106 x 55 in (152 x 269 x 140 cm) with packaging
- Weight: 1481 lb (672 kg) / 1631 lb (740 kg) with packaging



Scan this QR code for more about this product